2008 SPECIAL SCHEDULE

Table 1: Immunization Requirements

Institution	Age	Vaccine	Total Doses Received
Child care center, day nursery, nursery school, family day care home, development center	Less than 2 months	None	
Same as above	2–3 months	1. Polio¹	1 dose 1 dose 1 dose 1 dose
Same as above	4–5 months	Polio¹	2 doses 2 doses 2 doses 2 doses
Same as above	6–14 months	Polio¹ DTP, or combination of DTP and diphtheria-tetanus toxoids Hib Hepatitis B	2 doses 3 doses 2 doses 2 doses
Same as above	15–17 months	Polio¹ DTP, or combination of DTP and diphtheria-tetanus toxoids Measles, rubella, and mumps Hib Hepatitis B	3 doses 3 doses 1 dose of each separately or combined on or after the 1st birthday 1 dose at any age. (Changed from "On or after the 1st birthday.") 2 doses
Same as above	18 months–5 years	Polio¹ DTP, or combination of DTP and diphtheria-tetanus toxoids Measles, rubella, and mumps Hib¹ Hepatitis B² Varicella	3 doses 2008 Special Schedule or ONLY the Hib vaccin 4 doses 1 dose of each separately or combined on or after the 1st birthday. 1 dose at any age. (Changed from "On or after the 1st birthday.") 3 doses 1 dose
Elementary school at kindergarten level and above	4–6 years	Polio¹ DTP, or combination of DTP and diphtheria-tetanus toxoids Measles, rubella, and mumps	4 doses, except that a total of 3 doses is acceptable if at least one dose was given on or after the 4th birthday 5 doses, except that a total of 4 doses is acceptable if at least one dose was given on or after the 4th birthday. 1 dose of each, separately or combined, on or after the 1st birthday. Pupils entering a kindergarten (or first grade if kindergarten skipped) are required to have 2 doses of measles-containing vaccine, both given on or after the first birthday 3 doses 1 dose
Elementary school, secondary school	7-17 years	1. Polio¹ 2. Diphtheria and tetanus toxoids, given as DTP, DT, or Td (pertussis not required) 3. Measles and rubella (mumps not required) 4. Varicella⁵	4 doses, except that a total of 3 doses is acceptable if at least one dose was given on or after the 2nd birthday At least 3 doses. One more Td dose is required if the last dose was given before the 2nd birthday. (See below for additional recommendations for 7th grade enrollment, effective 7/1/99.) 1 dose of each, separately or combined, on or after the 1st birthday. (See below for additional requirements for 7th grade enrollment, effective 7/1/99.) 1 dose aged 7 through 12 years for students not admitted to California schools before July 1, 2001. 2 doses for students aged 13 through 17 years not admitted to California schools before July 1, 2001.
Seventh Grade ⁴	Any	Hepatitis B Measles Recommended but not required:	3 doses 2 doses of measles-containing vaccine, both given on or after the first birthday.
		Tetanus-diphtheria, given as DTP, DT, Td or Tetanus	One Td dose is recommended if 5 years or more have elapsed since the last dose.
Any	18 years and older	None	

¹ Oral polio vaccine (OPV) or inactivated polio vaccine (IPV) or any combination of these vaccines is acceptable.

² Applies only to children entering at kindergarten level (or at first grade level if kindergarten skipped) or below on or after August 1, 1997.

³ Required only for children who have not reached the age of 4 years 6 months.

⁴ Applies only to children (of any age) entering or advancing to the seventh grade on or after July 1, 1999.

⁵ Children admitted to California schools at the Kindergarten level or above before July 1, 2001 are exempt from this requirement.

2008 SPECIAL SCHEDULE

Table 2: Conditional Admission Immunization Schedule

Vaccine	Dose	Time Intervals
Polio ¹	1st dose	Before admission As early as 6 weeks but no later than 10 weeks after the 1st dose. Before admission if 10 or more weeks have elapsed since the 1st dose at the time of admission. As early as 6 weeks but no later than 12 months after the 2nd dose. Before admission if 12 or more months have elapsed since the 2nd
	4th dose (Required only for entry to kindergarten level or above)	dose at the time of admission. Age 4-6 years: If the 3rd dose was given before the 4th birthday one more dose is required before admission. Age 7-17 years: If the 3rd dose was given before the 2nd birthday, one more dose is required before admission.
Diphtheria, Tetanus, and Pertussis FOR PUPILS UNDER AGE 7 YEARS:	1st dose	Before admission.
Diphtheria-tetanus-pertussis (DTP) or combination of DTP and diphtheria-tetanus toxoids	2nd dose	As early as 4 weeks but no later than 8 weeks after the 1st dose. Before admission if 8 or more weeks have elapsed since the 1st dose at the time of admission. As early as 4 weeks but no later than 8 weeks after the 2nd dose. Before admission if 8 or more weeks have elapsed since the 2nd
OR	4th dose	dose at the time of admission. As early as 6 months but no later than 12 months after the 3rd dose. Before admission if 12 or more months have elapsed since the 3rd dose at the time of admission.
	4-6 years for entry to kindergarten level and above)	If the 4th dose was given before the 4th birthday, one more dose is required before admission.
FOR PUPILS AGE 7 YEARS AND OLDER: Diphtheria-tetanus (Pertussis not required)	1st dose	Before admission. As early as 4 weeks but no later than 8 weeks after the 1st dose. Before admission if 8 or more weeks have elapsed since the 1st dose at the time of admission.
	4th dose	As early as 6 months but no later than 12 months after the 2nd dose. Before admission if 12 or more months have elapsed since the 2nd dose at the time of admission. If the 3rd dose was given before the 2nd birthday, one more dose is required before admission.
	Recommended but not required for 7th grade entry ² : Booster dose of Td	Before entry, 1 Td dose is recommended if 5 years or more have elapsed since the last dose of DTP, DT, Td or Tetanus.
Measles	One dose only	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached.
Note: For children entering kindergarten (or first grade if kindergarten is skipped) on or after August 1, 1997, two doses are required. For children entering 7th grade on or after July 1, 1999, the series shall be in process or completed.	1st dose	Before admission. As early as 1 month but no later than 3 months after the 1st dose.
Rubella	One dose only	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached.
Numps Not required for pupils age 7 years and older)	One dose only	Before admission. If the pupil is under age 15 months, this dose is required when age 15 months is reached. 2008 Special Sche
Hib Children 2-14 months old	Two doses	1st dose before admission. 2nd dose as early as 2 months but no
Children 15 months-4 1/2 years old	One dose	later than 3 months after the 1st dose. At any age. (Changed from "Before admission.")
Hepatitis B—For children entering at kindergarten level (or first grade if kindergarten skipped) or below on or after August 1,1997. For children entering 7th grade on or after July 1, 1999, the series shall be in process or completed.	1st dose	Before admission. As early as 1 month but no later than 2 months after the first dose. Infants and children under age 18 months: As early as 2 months but no later than 12 months after the 2nd dose. Also, no earlier than 4 months after the 1st dose. Children age 18 months and older: As early as 2 months but no later than 6 months after the 2nd dose. Also, no earlier than 4 months after the 1st dose.
Varicella ³ – For children aged 13 through 17 years not admitted to California schools before July 1, 2001.	1st dose2nd dose	Before admission As early as 4 weeks but no longer than 3 months after first dose

¹ Oral polio vaccine (OPV) or inactivated polio vaccine (IPV) or any combination of these vaccines is acceptable.

² Applies only to children (of any age) entering or advancing to the 7th grade on or after July 1, 1999.
³ Children admitted to California schools at the Kindergarten level or above before July 1, 2001 are exempt from this requirement.